IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| In re A | Application of: THRONICKE, Sandro Gerd et al. | Group Art Unit: |
|----------------------------------|---|-------------------|
| Serial No. | | Examiner: |
| Filing or 371 (c) Date: Herewith | | Dkt No: SCH002-US |
| For: | MULTI-LAYER DECOUPLING, SEALING AND DRAINAGE SYSTEM | |
| То: | Mail Stop Amendment From Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450 | n: 24222 |

Commissioner:

PRELIMINARY AMENDMENT

INTRODUCTORY COMMENTS

The Applicant requests that the Office amend the above referenced application as follows: <u>13</u> pages Preliminary Amendment. Please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page $\underline{7}$ of this paper.

Remarks/Arguments begin on page 13 of this paper.

[X] DEPOSIT ACCOUNT 500323 AUTHORIZATION - All necessary fees relating to the attached submittal, if any, are intended to be included. However, the Office is hereby authorized to charge any deficiency or credit any overpayment in the fees relating to the submittal to deposit account 500323, registered to Vernon C. Maine P.L.L.C., dba Maine & Asmus, contact telephone no. 603-886-6100.